

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| L4 | 38 | (sliding and window and transform and time and frequency).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 19:48 |
| L6 | 4 | (sliding and window and transform and time and frequency and channel and length).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 19:48 |
| L17 | 0 | multi adj carrier and sub adj bandand and sliding adj window | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L18 | 473 | multi adj carrier and sub adj (band or channel) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L19 | 7305 | sliding adj window | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L20 | 420 | sliding with window and FFT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L21 | 0 | "6606351".URPN. | USPAT | OR | OFF | 2006/01/30 20:29 |
| L22 | 193 | multi adj carrier and sub adj band | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L23 | 45253 | frequency adj division dmt | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L24 | 868 | frequency adj division and dmt | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |

| | | | | | | |
|-----|--------|--|---|----|-----|------------------|
| L25 | 438 | frequency adj division and dmt and FFT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L26 | 268 | FDM and DMT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L27 | 307268 | DMT wireless | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L28 | 777 | DMT and wireless | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L29 | 214 | (DMT and wireless) and multicarrier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L30 | 0 | surface adj acoustic adj wave with filter with DMT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L31 | 8264 | surface adj acoustic adj wave with filter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L32 | 29000 | automatic adj gain adj control | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L33 | 334 | FDM and (automatic adj gain adj control) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L34 | 5228 | multi adj carrier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |

| | | | | | | |
|-----|--------|--|---|----|-----|------------------|
| L35 | 134 | spread\$5 adj decod\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L36 | 778 | cdma and FDM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L37 | 3540 | spread\$5 with decod\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L38 | 505 | differential adj demodulat\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L39 | 330 | differential adj demodulation | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L40 | 108830 | phase adj difference | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L41 | 7320 | complex adj conjugate | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L42 | 9858 | frequency adj division adj multiplexing | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L43 | 6580 | (frequency adj division adj multiplexing) and receiver | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L44 | 2063 | ((frequency adj division adj multiplexing) and receiver) and telephone | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| L45 | 0 | frequency adj division adj multiplexing adj reveiver | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L46 | 1359 | fdm and wireless not ortogonal | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L47 | 1 | frequency adj division adj multiplexing adj receiver and pass adj band | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L48 | 0 | FDM adj modulation adj of adj digital adj sub adj carrier\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L49 | 0 | FDM with modulation adj of adj digital adj sub adj carrier\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L50 | 0 | FDM with digital adj sub adj carrier\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L51 | 6946 | frequency adj division adj multiple adj access | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L52 | 0 | 3765/316 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L53 | 3245 | 375/316 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L54 | 394 | 375/244 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| L55 | 2455 | 375/240 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L56 | 1035 | 370/210 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L57 | 0 | "5844949.pn" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L58 | 654 | plurality near3 demodulators | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L59 | 5228 | multi adj carrier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L60 | 10 | equalizer with packet near5 header | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L61 | 413 | equalizer near parameter\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L62 | 223 | sliding-window | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L63 | 5 | (multi adj carrier and sub adj (band or channel)) and (sliding adj window) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L64 | 104 | (multi adj carrier and sub adj band) and fft | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| L65 | 83 | sliding adj window with transform | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L66 | 60 | sliding adj window with FFT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:29 |
| L67 | 55 | (sliding with window and FFT) and dmt | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L68 | 6 | ("5128964" "5497398" "5673290" "5715280" "6119080" "6351473").PN. | USPAT | OR | OFF | 2006/01/30 20:30 |
| L69 | 16 | ("4977593" "5027426" "5153763" "5195092" "5262883" "5299192" "5303229" "5323391" "5499047" "5499241" "5512937" "5553064" "5745837" "5751766" "5995539" "6091932").PN. | USPAT | OR | OFF | 2006/01/30 20:30 |
| L70 | 35 | (multi adj carrier and sub adj band) and dmt | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L71 | 10 | ((multi adj carrier and sub adj band) and dmt) and adc | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L72 | 98 | dmt and adsl and multi adj carrier and sub adj channel | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L73 | 7 | cmfb and cosine | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L74 | 98 | DMT and FFT and AGC | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| L75 | 76 | (surface adj acoustic adj wave with filter) and FFT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L76 | 31 | (surface adj acoustic adj wave with filter) and FDM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L77 | 14 | (FDM and (automatic adj gain adj control)) and sub adj band | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L78 | 2 | "5285474".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L79 | 16 | (multi adj carrier) and (spread\$5 adj decod\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L80 | 14 | spread adj decoder | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L81 | 76 | (differential adj demodulation) and (phase adj difference) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L82 | 20 | ((differential adj demodulation) and (phase adj difference)) and (complex adj conjugate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L83 | 2 | ((((differential adj demodulation) and (phase adj difference)) and (complex adj conjugate)) and attenuation and distortion | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L84 | 9 | frequency adj division adj multiplexing adj receiver NOT orthogonal | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| L85 | 3 | (fdm and wireless not orthogonal and base adj station) and pass adj band | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L86 | 61 | cell adj phone and fdm | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L87 | 16 | FDMA adj receiver | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L88 | 113 | (frequency adj division adj multiple adj access) and receiver adj structure | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L89 | 8 | 375/244 and multi adj carrier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L90 | 28 | 375/240 and multi adj carrier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L91 | 2 | "5825325".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L92 | 2 | "5844949".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L93 | 2 | "6065060".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L94 | 24 | (plurality near3 demodulators) and (multi adj carrier) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |

| | | | | | | |
|------|-----|---|---|----|-----|------------------|
| L95 | 2 | (multi adj carrier) and (equalizer with packet near5 header) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L96 | 33 | (multi adj carrier) and (equalizer near parameter\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L97 | 4 | (multi adj carrier) and sliding-window | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L98 | 231 | (FFt and multi-carrier) and multi-tone | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L99 | 216 | ((multi adj carrier) and (discrete adj multi adj tone)) and fft | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L100 | 207 | ((multi adj carrier) and (discrete adj multi adj tone)) and IFFT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L101 | 156 | ((DMT and multi adj carrier) and "discrete multi-tone") and orthogonal | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L102 | 137 | ((DMT and multi adj carrier) and "discrete multi-tone") and orthogonal) and transmitter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L103 | 232 | cordic adj algorithm | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L104 | 145 | adsl and tone adj ordering | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |

| | | | | | | |
|------|-----|--|---|----|-----|------------------|
| L105 | 193 | multi adj carrier and sub adj band | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L106 | 200 | (sliding adj window and FFT) and parallel | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L107 | 196 | (frequency adj division and dmt and FFT) and multi adj carrier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L108 | 131 | (FDM and DMT) and fft | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L109 | 237 | cmfb | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L110 | 126 | ((DMT and wireless) and multicarrier) and fft | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L111 | 138 | (multi adj carrier) and (spread\$5 with decod\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L112 | 134 | spread\$5 adj decod\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L113 | 234 | frequency adj division adj multiplexing adj receiver | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L114 | 138 | 375/316 and multi-carrier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |

| | | | | | | |
|------|------|--|---|----|-----|------------------|
| L115 | 225 | 370/210 and multi adj carrier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L116 | 267 | multi adj carrier and look-up adj table | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L117 | 357 | sliding adj window and FFT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L118 | 305 | dmt and adsl and multi adj carrier and channel | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L119 | 240 | fdm and wireless not orthogonal and base adj station | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L120 | 690 | (receiver and structure and FDM) and wireless | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L121 | 766 | fdm and wireless not orthogonal | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L122 | 1359 | fdm and wireless | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L123 | 1349 | receiver and structure and FDM | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/30 20:30 |
| L124 | 2 | "5285474".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 20:30 |

| | | | | | | |
|------|-----|--------------------------------------|---|----|----|------------------|
| L125 | 2 | "5285474".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 20:30 |
| L126 | 0 | equaliz4 with header | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 20:30 |
| L127 | 713 | equaliz\$4 with header | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 20:30 |
| L128 | 10 | equaliz\$4 with header and IFFT | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 20:30 |
| L129 | 30 | equaliz\$4 same header and IFFT | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 20:30 |
| L130 | 84 | equaliz\$4 same (packet with header) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 20:30 |
| L131 | 21 | equaliz\$4 with (packet with header) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/30 20:30 |

[drjatorres@gmail.com](#) | [Search History](#) | [My Account](#) | [Sign out](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"time to frequency" "first sliding window"

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 1 of 1 for "[time to frequency](#)" "[first sliding window](#)". (0.40 seconds)

Tip: Try removing quotes from your search to get more results.

United States Patent Application: 0020041637

[0038] in one embodiment, A **first Sliding window** DFT transform (referred to herein as A type-1 transform) is used in the receiver. ...

[appft1.uspto.gov/.../20020041637&RS=DN/20020041637-127k-Supplemental Result](#) -

[Cached](#) - [Similar pages](#) - [Remove result](#)


Try your search again on [Google Book Search](#)

"time to frequency" "first sliding wind"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



Advanced Search
Preferences

Web

Results 1 - 10 of about 60 for "time to frequency" "sliding window". (0.47 seconds)

RE: [WM]: MATLAB implementation of psycho acoustic model

... steps: Step 1: Calculation of the FFT for **time to frequency** conversion. ...
111) b) In order to implement the **sliding window** correctly during the ...
www.watermarkingworld.org/ WMMLArchive/0107/msg00019.html - 18k -
Cached - Similar pages - Remove result

Sponsored Links

Sliding Window

Get All The Facts And Decide
For Yourself. Free Quotes.
Sliding.Windows-4-U.biz

[DOC] 3-ANNEX D (informative) PSYCHOACOUSTIC MODELS 3-D.1 ...

File Format: Microsoft Word 6 - View as HTML
Calculation of the FFT for **time to frequency** conversion. ... For this operation,
a **sliding window** in the critical band domain is used with a width of 0.5 ...
www.cise.ufl.edu/~jfd/mp3papers/annex_d.doc - Similar pages - Remove result

Sliding Window

Choose by type, style, or glass!
Compare top **window** companies now.
www.GuideToWindows.com
Virginia

[PDF] LAPPED TRANSFORMS FOR IMAGE COMPRESSION

File Format: PDF/Adobe Acrobat - View as HTML
Using a **sliding window** $w(m)$ of length r which is non-zero only in the interval $n \leq m \leq \dots$
resolution from **time to frequency** domain achieved by the LT. ...
image.unb.br/queiroz/papers/ltcompression.pdf - Similar pages - Remove result

Weather radar using spectral gaussian envelope discrimination for ...

The entire PSD spectrum is passed through A smoothing **sliding window** filter to reduce
amplitude fluctuations. The smoothed spectrum is then pivot-shifted ...
gauss.bacon.su.se/EP/8/0/EP808463.html - 63k - Supplemental Result -
Cached - Similar pages - Remove result

Weather radar using spectral gaussian envelope discrimination for ...

... minimize Doppler frequency side lobes (upon **time-to-frequency** domain
transformation ... entire PSD spectrum is passed through a smoothing **sliding window** filter
to ...
patdb.ffii.org/sql/view.php?p=EP808463 - 62k - Supplemental Result -
Cached - Similar pages - Remove result

[PDF] An Examination and Interpretation of ITU-R BS.1387: Perceptual ...

File Format: PDF/Adobe Acrobat - View as HTML
2 **Time to Frequency** Domain (FFT-based Ear Model). 2.1 Input ... The final MOV is given
by the **sliding window** average with ...
www.mp3-tech.org/programmer/docs/kabalar2002.pdf - Similar pages - Remove result

[PDF] Mapping Wireless Mapping Wireless Communication Algorithms ...

File Format: PDF/Adobe Acrobat - View as HTML
... Prefix removal: - Detection of prefix - Correlation of 16 complex samples - **Sliding
window** 17 clock ... Inverse OFDM: - **Time-to-frequency** translation - 64 ...
https://doc.telin.nl/dscgi/ds.py/Get/ File-33579/AWGN_usergroup_meeting_11-04-
2003_internal.pdf - Supplemental Result - Similar pages - Remove result

[PDF] Mapping Wireless Mapping Wireless Communication Algorithms ...

File Format: PDF/Adobe Acrobat - View as HTML
... Prefix removal: 17 - Detection of prefix - **Sliding window** - Correlation of 16 complex
samples ... Inverse OFDM: 198 - **Time-to-frequency** translation - 64 ...
https://doc.telin.nl/dscgi/ds.py/ Get/File-42620/Agere_meeting_11-03-2003_external.pdf -
Supplemental Result - Similar pages - Remove result

[PDF] Mapping Wireless Mapping Wireless Communication Algorithms ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Sliding window. 17 clock cycles per Correlation. 16 correlations. \mathcal{A} . 272 cycles. serial to. parallel. serial to. parallel. prefix. removal. prefix. removal ...
wwwhome.cs.utwente.nl/~rauwerda/publications/ERSA_2003_rauwerdagk_slides.pdf - Supplemental Result - [Similar pages](#) - [Remove result](#)

[PDF] Lossless Wideband Audio Compression: Prediction and Transform

File Format: PDF/Adobe Acrobat - [View as HTML](#)

TIME-TO-FREQUENCY. MAPPING FILTER BANK. PSYCHOACOUSTIC ... An extreme example is a **sliding window**. formulation of linear predictive modeling where ...
edocs.tu-berlin.de/diss/2003/kim_jonghwa.pdf - [Similar pages](#) - [Remove result](#)

Try your search again on [Google Book Search](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 **Next**

"time to frequency" "sliding window"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

SCIRUS
for scientific information only

Questions about DVT?



About Us

Newsroom

Advisory Board

Submit Web Site

Search Tips

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

"time to frequency" AND "first sliding window"

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Sorry, your search has not produced any results. Before searching again, using the same or similar keywords, you may find it helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
 - check the spelling of all words
 - spell words in a different way, for example using American spelling
 - write abbreviations and acronyms in full
 - use alternative words that have the same meaning
 - search using fewer or more general words
-

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Test Zone](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2006

About Us

Newsroom

Advisory Board

Submit Web Site

Search Tips

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

"time to frequency" AND "sliding window"

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:"time to frequency" AND "sliding window"



Found:: :10 total | 0 journal results | 8 preferred web results | 2 other web results

Sort by:: :relevance | [date](#)

Save checked results

Email checked results


Export checked results

- ☐ 1. [Untitled](#) [Word-95K]
Oct 2000
...the following steps: Step 1 - Calculation of the FFT for **time to frequency** conversion. Step 2 - Determination of the sound pressure...from the list of tonal components. For this operation, a **sliding window** in the critical band domain is used with a width of 0.5...
[http://www.cise.ufl.edu/~jfd/mp3papers/annex_d.doc]
[similar results](#)
- ☐ 2. [TMS320C5X USER'S GUIDE](#) [PDF-2MB]
Apr 2000
TI warrants performance of its semiconductor products and related software to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are utilized to the extent TI deems necessary to support this warranty.
[http://www.ti.com/docs/dsp/UserGuide.pdf]
[similar results](#)
- ☐ 3. [Autonomous landing guidance system](#)
Ammar, Dan / Spires, Randal C. / Sweet, Steven R. / Honeywell International Inc., EUROPEAN PATENT, Jan 2001
An aircraft guidance system uses radar imaging to verify airport and runway location and provide navigation updates. The system is applicable to flight operations in low visibility conditions, and uses weather radar for both weather detection and...
Full text available at patent office. For more in-depth searching go to  LexisNexis
[similar results](#)
- ☐ 4. [Autonomous landing guidance system](#)
Amar, Danny F. / Sweet, Steven R. / Spires, Randal C. / Honeywell International Inc., EUROPEAN PATENT, Jan 2001
An aircraft guidance system uses radar imaging to verify airport and runway location and provide navigation updates. The system is applicable to flight operations in low visibility conditions, and uses weather radar for both weather detection and...
Full text available at patent office. For more in-depth searching go to  LexisNexis
[similar results](#)
- ☐ 5. [AUTONOMOUS LANDING GUIDANCE SYSTEM](#)
AMMAR, Danny, F. / SPIRES, Randal, C. / SWEET, Steven, R. / Honeywell International, Inc., EUROPEAN PATENT, Mar 1999
Background of the Invention This application is related to two divisional application no's

Refine you
using the
found in t
[azimuth](#)
[functional d](#)
[intermediat](#)
[obstacle](#)
[obstacle de](#)
[pulse comp](#)
[skill in the](#)
[timing gene](#)
[weather rad](#)
Or refine
All of the

Refine

00114078.9 and 00114079.7. The present invention relates to autonomous landing guidance system and can make use of monopulse radar and more particularly...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®] [similar results](#)

☐ **6. WEATHER RADAR USING SPECTRAL GAUSSIAN ENVELOPE DISCRIMINATION FOR CLUTTER REJECTION**

BRANDAO, Ruy, L. / MANSEUR, Arezki / SPIRES, Randall, C. / WEIST, William, C. / HERMANN, Philip, R. / AlliedSignal Inc., EUROPEAN PATENT, Nov 1997

...frequency side lobes (upon **time-to-frequency** domain transformation) and...passed through a smoothing **sliding window** filter to reduce amplitude...prior to filtering with a **sliding window** type filter. Fig. 2B shows...function after filtering by a **sliding window**, from which pseudo-Gaussian...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®] [similar results](#)

☐ **7. IMPULSIVE NOISE CANCELLATION METHOD AND APPARATUS FOR LOW SAMPLE RATE DATA**

ESFAHNI, Farhad / GAS RESEARCH INSTITUTE, PATENT COOPERATION TREATY APPLICATION, Oct 1995

...While in a preferred embodiment this **time-to-frequency** domain conversion is performed utilizing...Fourier Transform (FFT) algorithm, any **time-to-frequency** domain conversion technique, such...real-time signal processing. Other **time- to-frequency** conversion algorithms may make real-time...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®] [similar results](#)

☐ **8. AUTONOMOUS LANDING GUIDANCE SYSTEM**

AMAR, Danny, F. / SPIRES, Randal, C. / SWEET, Steven, R. / ALLIEDSIGNAL INC., PATENT COOPERATION TREATY APPLICATION, Nov 1997

An aircraft guidance system uses radar imaging to verify airport and runway location and provide navigation updates. The system is applicable to flight operations in low visibility conditions.

Full text available at patent office. For more in-depth searching go to  LexisNexis[®] [similar results](#)

☐ **9. WEATHER RADAR USING SPECTRAL GAUSSIAN ENVELOPE DISCRIMINATION FOR CLUTTER REJECTION**

BRANDAO, Ruy, L. / MANSEUR, Arezki / SPIRES, Randall, C. / WEIST, William, C. / HERMANN, Philip, R. / ALLIEDSIGNAL INC., PATENT COOPERATION TREATY APPLICATION, Aug 1996

...frequency side lobes (upon **time-to-frequency** domain transformation) and...passed through a smoothing **sliding window** filter to reduce amplitude...prior to filtering with a **sliding window** type filter. Fig. 2B shows...function after filtering by a **sliding window**, from which pseudo-Gaussian...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®] [similar results](#)

☐ **10. APPARATUS AND METHODS FOR INCLUDING CODES IN AUDIO SIGNALS AND DECODING**

JENSEN, James, M. / LYNCH, Wendell, D. / PERELSHTEYN, Michael, M. / GRAYBILL, Robert, B. / HASSAN, Sayed / SABIN, Wayne / THE ARBITRON COMPANY, a division of CERIDIAN CORPORATION, PATENT COOPERATION TREATY APPLICATION, Oct 1995

Apparatus and methods for including a code (68) having at least one code frequency component in an audio signal (60) are provided. The abilities of various frequency components in the audio signal to mask the code frequency component to human hearing...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®] [similar results](#)

fast:::

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Test Zone](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2006



Welcome United States Patent and Trademark Office

□ Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((time to frequency<in>metadata) <and> (first sliding window<in>metadata))"

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail printer

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((time to frequency<in>metadata) <and> (sliding window<in>metadata))"

Your search matched 1 of 1310010 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key



Indicates full text access

| | |
|----------|----------------------------|
| IEEE JNL | IEEE Journal or Magazine |
| IEE JNL | IEE Journal or Magazine |
| IEEE CNF | IEEE Conference Proceeding |
| IEE CNF | IEE Conference Proceeding |
| IEEE STD | IEEE Standard |

- ☐
- 1. Receiver structures for time-varying frequency-selective fading channels**
Borah, D.K.; Hart, B.D.;
Selected Areas in Communications, IEEE Journal on
Volume 17, Issue 11, Nov. 1999 Page(s):1863 - 1875
Digital Object Identifier 10.1109/49.806817
[Abstract](#) | [Full Text: PDF\(544 KB\)](#) IEEE JNL

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights